

ABBREVIATIONS

A.C.	Alternating Current
A.M.	Amplitude Modulation
C.P.U.	Central Processing Unit
C.R.T.	Cathode Ray Tube
cu. ft	Cubic foot (feet)
D.C.	Direct Current
D.S.B.S.C.	Double Sideband Suppressed Carrier (Modulation d'amplitude à suppression de porteuse et deux bandes latérales)
F.E.T.	Field Effect Transistor
F.M.	Frequency Modulation
F.S.K.	Frequency Shift Keying (Modulation par déplacement de fréquence)
GND	Ground
I.C.	Integrated Circuit
I.F.	Intermediate Frequency
I.R.	Infra Red
I/O	Input/Output
L.C.D.	Liquid Crystal Display
L.E.D.	Light Emitting Diode
L.S.B.	Lower Side Band
L.S.D.	Light Sensitive Diode
lb.	pound
M.O.S.	Metal-Oxide-Semiconductor
N.E.P.	Noise Equivalent Power (Puissance équivalente de bruit)
O.A.	Operational Amplifier
O.V.P.	Over Voltage Protection
P.C.	Personal Computer
P.M.	Phase Modulation
p.p.m.	parts per million
P.R.F.	Pulse Repetition Frequency
p.s.i.	pound per square inch
P.S.K.	Phase Shift Keying
S.S.D.	Single Side Band (Bande Latérale Unique - B.L.U.)

T.T.L.	Through the Lens
T.T.L.	Transistor-Transistor Logic
U.S.B.	Upper Side Band
U.V.	Ultra Violet
V.C.F.	Voltage Control Frequency
V.C.O.	Voltage Control Oscillator
V.D.U.	Visual Display Unit